

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptl89dxw

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	NOV 21	CAS patent coverage to include exemplified prophetic substances identified in English-, French-, German-, and Japanese-language basic patents from 2004-present
NEWS	3	NOV 26	MARPAT enhanced with FSORT command
NEWS	4	NOV 26	CHEMSAFE now available on STN Easy
NEWS	5	NOV 26	Two new SET commands increase convenience of STN searching
NEWS	6	DEC 01	ChemPort single article sales feature unavailable
NEWS	7	DEC 12	GBFULL now offers single source for full-text coverage of complete UK patent families
NEWS	8	DEC 17	Fifty-one pharmaceutical ingredients added to PS
NEWS	9	JAN 06	The retention policy for unread STNmail messages will change in 2009 for STN-Columbus and STN-Tokyo
NEWS	10	JAN 07	WPIDS, WPINDEX, and WPIX enhanced Japanese Patent Classification Data
NEWS	11	FEB 02	Simultaneous left and right truncation (SLART) added for CERAB, COMPUAB, ELCOM, and SOLIDSTATE
NEWS	12	FEB 02	GENBANK enhanced with SET PLURALS and SET SPELLING
NEWS	13	FEB 06	Patent sequence location (PSL) data added to USGENE
NEWS	14	FEB 10	COMPENDEX reloaded and enhanced
NEWS	15	FEB 11	WTEXTILES reloaded and enhanced
NEWS	16	FEB 19	New patent-examiner citations in 300,000 CA/CAPLUS patent records provide insights into related prior art
NEWS	17	FEB 19	Increase the precision of your patent queries -- use terms from the IPC Thesaurus, Version 2009.01
NEWS	18	FEB 23	Several formats for image display and print options discontinued in USPATFULL and USPAT2
NEWS	19	FEB 23	MEDLINE now offers more precise author group fields and 2009 MeSH terms
NEWS	20	FEB 23	TOXCENTER updates mirror those of MEDLINE - more precise author group fields and 2009 MeSH terms
NEWS	21	FEB 23	Three million new patent records blast AEROSPACE into STN patent clusters
NEWS	22	FEB 25	USGENE enhanced with patent family and legal status display data from INPADOCDB
NEWS	23	MAR 06	INPADOCDB and INPAFAMDB enhanced with new display formats
NEWS	24	MAR 11	EPFULL backfile enhanced with additional full-text applications and grants
NEWS	25	MAR 11	ESBIOBASE reloaded and enhanced
NEWS	26	MAR 20	CAS databases on STN enhanced with new super role for nanomaterial substances
NEWS	27	MAR 23	CA/CAPLUS enhanced with more than 250,000 patent equivalents from China

NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN customer
agreement. This agreement limits use to scientific research. Use
for software development or design, implementation of commercial
gateways, or use of CAS and STN data in the building of commercial
products is prohibited and may result in loss of user privileges
and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 01:18:41 ON 30 MAR 2009

=> index bioscience

FILE 'DRUGMONOG' ACCESS NOT AUTHORIZED

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.22	0.22

FULL ESTIMATED COST

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, ANTE, AQUALINE,
AQUASCI, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CAPLUS,
CEABA-VTB, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DISSABS, DRUGB,
DRUGMONOG2, DRUGU, EMBAL, EMBASE, ...' ENTERED AT 01:19:02 ON 30 MAR 2009

68 FILES IN THE FILE LIST IN STNINDEX

Enter SET DETAIL ON to see search term postings or to view
search error messages that display as 0* with SET DETAIL OFF.

=> s devulcaniz? and rubber(p)particle? and bacteria and break?(p)sulfur(p)bridges

- 0* FILE ADISNEWS
- 0* FILE ANTE
- 0* FILE AQUALINE
- 0* FILE BIOENG
- 0* FILE BIOTECHABS
- 0* FILE BIOTECHDS
- 0* FILE BIOTECHNO
- 0* FILE CEABA-VTB
- 0* FILE CIN
- 0* FILE FOMAD
- 0* FILE FOREGE
- 0* FILE FROSTI
- 0* FILE FSTA

35 FILES SEARCHED...

- 1 FILE IFIPAT
- 0* FILE KOSMET
- 0* FILE NTIS
- 0* FILE NUTRACEUT
- 0* FILE PASCAL
- 0* FILE PHARMAML
- 1 FILE USPATFULL
- 0* FILE WATER
- 1 FILE WPIDS

1 FILE WPINDEX

4 FILES HAVE ONE OR MORE ANSWERS, 68 FILES SEARCHED IN STINDEX

L1 QUE DEVULCANIZ? AND RUBBER(P) PARTICLE? AND BACTERIA AND BREAK?(P) SULFUR(P) BRIDGES

=> file ifipat uspatfull

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

1.36

1.58

FILE 'IFIPAT' ENTERED AT 01:20:25 ON 30 MAR 2009

COPYRIGHT (C) 2009 IFI CLAIMS(R) Patent Services (IFI)

FILE 'USPATFULL' ENTERED AT 01:20:25 ON 30 MAR 2009

CA INDEXING COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

=> s l1

L2 2 L1

=> rem dup l2

DUP IS NOT VALID HERE

The DELETE command is used to remove various items stored by the system.

To delete a saved query, saved answer set, saved L-number list, SDI request, batch request, mailing list, or user-defined cluster, format, or search field, enter the name. The name may include ? for left, right, or simultaneous left and right truncation.

Examples:

DELETE BIO?/Q	- delete query names starting with BIO
DELETE ?DRUG/A	- delete answer set names ending with DRUG
DELETE ?ELEC?/L	- delete L-number lists containing ELEC
DELETE ANTICOAG/S	- delete SDI request
DELETE ENZYME/B	- delete batch request
DELETE .MYCLUSTER	- delete user-defined cluster
DELETE .MYFORMAT	- delete user-defined display format
DELETE .MYFIELD	- delete user-defined search field
DELETE NAMELIST MYLIST	- delete mailing list

To delete an ordered document or an offline print, enter its number.

Examples:

DELETE P123001C	- delete print request
DELETE D134002C	- delete document order request

To delete an individual L-number or range of L-numbers, enter the L-number or L-number range. You may also enter DELETE LAST followed by a number, n, to delete the last n L-numbers. RENUMBER or NORENUMBER may also be explicitly specified to override the value of SET RENUMBER.

Examples:

DELETE L21	- delete a single L-number
DELETE L3-L6	- delete a range of L-numbers
DELETE LAST 4	- delete the last 4 L-numbers

DELETE L33-	- delete L33 and any higher L-number
DELETE -L55	- delete L55 and any lower L-number
DELETE L2-L6 RENUMBER	- delete a range of L-numbers and renumber remaining L-numbers
DELETE RENUMBER	- renumber L-numbers after deletion of intermediate L-numbers

Entire sets of saved items, SDI requests, batch requests, user-defined items, or E-numbers can be deleted.

Examples:

DELETE SAVED/Q	- delete all saved queries
DELETE SAVED/A	- delete all saved answer sets
DELETE SAVED/L	- delete all saved L-number lists
DELETE SAVED	- delete all saved queries, answer sets, and L-number lists
DELETE SAVED/S	- delete all SDI requests
DELETE SAVED/B	- delete all batch requests
DELETE CLUSTER	- delete all user-defined clusters
DELETE FORMAT	- delete all user-defined display formats
DELETE FIELD	- delete all user-defined search fields
DELETE SELECT	- delete all E-numbers
DELETE HISTORY	- delete all L-numbers and restart the session at L1

To delete an entire multifile SDI request, enter DELETE and the name of the request. To delete a component from the multifile SDI, enter DELETE and the name of the component.

```
=> s l2
```

```
L3          2 L2
```

```
=> rem dup l3
```

```
DUP IS NOT VALID HERE
```

The DELETE command is used to remove various items stored by the system.

To delete a saved query, saved answer set, saved L-number list, SDI request, batch request, mailing list, or user-defined cluster, format, or search field, enter the name. The name may include ? for left, right, or simultaneous left and right truncation.

Examples:

DELETE BIO?/Q	- delete query names starting with BIO
DELETE ?DRUG/A	- delete answer set names ending with DRUG
DELETE ?ELEC?/L	- delete L-number lists containing ELEC
DELETE ANTICOAG/S	- delete SDI request
DELETE ENZYME/B	- delete batch request
DELETE .MYCLUSTER	- delete user-defined cluster
DELETE .MYFORMAT	- delete user-defined display format
DELETE .MYFIELD	- delete user-defined search field
DELETE NAMELIST MYLIST	- delete mailing list

To delete an ordered document or an offline print, enter its number.

Examples:

DELETE P123001C	- delete print request
DELETE D134002C	- delete document order request

To delete an individual L-number or range of L-numbers, enter the L-number or L-number range. You may also enter DELETE LAST followed by a number, n, to delete the last n L-numbers. RENUMBER or NORENUMBER may also be explicitly specified to override the value of SET RENUMBER.

Examples:

```
DELETE L21           - delete a single L-number
DELETE L3-L6         - delete a range of L-numbers
DELETE LAST 4        - delete the last 4 L-numbers
DELETE L33-          - delete L33 and any higher L-number
DELETE -L55          - delete L55 and any lower L-number
DELETE L2-L6 RENUMBER - delete a range of L-numbers and
                      renumber remaining L-numbers
DELETE RENUMBER       - renumber L-numbers after deletion of
                      intermediate L-numbers
```

Entire sets of saved items, SDI requests, batch requests, user-defined items, or E-numbers can be deleted.

Examples:

```
DELETE SAVED/Q - delete all saved queries
DELETE SAVED/A - delete all saved answer sets
DELETE SAVED/L - delete all saved L-number lists
DELETE SAVED   - delete all saved queries, answer sets,
                  and L-number lists
DELETE SAVED/S - delete all SDI requests
DELETE SAVED/B - delete all batch requests
DELETE CLUSTER - delete all user-defined clusters
DELETE FORMAT  - delete all user-defined display formats
DELETE FIELD   - delete all user-defined search fields
DELETE SELECT  - delete all E-numbers
DELETE HISTORY - delete all L-numbers and restart the
                  session at L1
```

To delete an entire multifile SDI request, enter DELETE and the name of the request. To delete a component from the multifile SDI, enter DELETE and the name of the component.

```
=> dup rem l3
PROCESSING COMPLETED FOR L3
L4          1 DUP REM L3 (1 DUPLICATE REMOVED)

=> d l4 1

L4  ANSWER 1 OF 1 IFIPAT COPYRIGHT 2009 IFI on STN DUPLICATE 1
AN  11359995 IFIPAT;IFIUDB;IFICDB
TI   Process for surface activation and/or devulcanisation of
      sulfur-vulcanized rubber particles
IN   Neumann Willi (DE)
PA   Unassigned Or Assigned To Individual (68000)
PPA  Cristallo Holdings Inc CA (Probable)
PI   US 20070009997 A1 20070111
AI   US 2004-551664    20040329
      WO 2004-IB932     20040329
                        20060621 PCT 371 date
                        20060621 PCT 102(e) date
PRAI DE 2003-10314893  20030401
FI   US 20070009997    20070111
```

DT Utility; Patent Application - First Publication
FS CHEMICAL
APPLICATION
ED Entered STN: 12 Jan 2007
Last Updated on STN: 15 Feb 2007
CLMN 21

=> d hist

(FILE 'HOME' ENTERED AT 01:18:41 ON 30 MAR 2009)

INDEX 'ADISCTI, ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, ANTE, AQUALINE,
AQUASCI, BIOENG, BIOSIS, BIOTECHABS, BIOTECHDS, BIOTECHNO, CABA, CAPLUS,
CEABA-VTB, CIN, CONFSCI, CROPB, CROPU, DDFB, DDFU, DGENE, DISSABS, DRUGB,
DRUGMONOG2, DRUGU, EMBAL, EMBASE, ...' ENTERED AT 01:19:02 ON 30 MAR 2009
SEA DEVULCANIZ? AND RUBBER(P)PARTICLE? AND BACTERIA AND BREAK?(

0* FILE ADISNEWS
0* FILE ANTE
0* FILE AQUALINE
0* FILE BIOENG
0* FILE BIOTECHABS
0* FILE BIOTECHDS
0* FILE BIOTECHNO
0* FILE CEABA-VTB
0* FILE CIN
0* FILE FOMAD
0* FILE FOREGE
0* FILE FROSTI
0* FILE FSTA
1 FILE IFIPAT
0* FILE KOSMET
0* FILE NTIS
0* FILE NUTRACEUT
0* FILE PASCAL
0* FILE PHARMAML
1 FILE USPATFULL
0* FILE WATER
1 FILE WPIDS
1 FILE WPINDEX

L1 QUE DEVULCANIZ? AND RUBBER(P) PARTICLE? AND BACTERIA AND BREAK?

FILE 'IFIPAT, USPATFULL' ENTERED AT 01:20:25 ON 30 MAR 2009

L2 2 S L1
L3 2 S L2
L4 1 DUP REM L3 (1 DUPLICATE REMOVED)

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
5.85	7.43

FULL ESTIMATED COST

STN INTERNATIONAL LOGOFF AT 01:20:49 ON 30 MAR 2009